RATES

LEGEND

(a) Rate for each individual risk must be obtained by Home Office from the MA Bureau.

D Supplement Disease Loading. Refer to Section IV of the Manual Supplement - - Treatment of Disease Coverage.

F Rate provides for coverage under the United States Longshore and Harbor Workers' Compensation Act.

M Risks are subject to Admiralty Law or Federal Employers Liability Act (FELA).

CLASS CODE	RATE	MIN PREM	LOSS CONST	CLASS CODE	RATE	MIN PREM	LOSS CONST	CLASS CODE	RATE	MIN PREM	LOSS CONST	CLASS CODE	RATE	MIN PREM	LOSS CONST
0005	1.73	240.	20.	**1924**	2.17	235.	--	**2501**	1.28	204.	--	**3082D**	2.56	249.	--
0008	1.45	230.	20.	**1925**	3.17	270.	--	**2503**	0.68	183.	--	**3085D**	2.47	245.	--
0016	2.59	270.	20.	**2003**	2.09	232.	--	**2570**	2.63	251.	--	**3110**	3.78	291.	--
0034	1.78	241.	20.	**2014**	2.53	248.	--	**2576**	1.34	206.	--	**3111**	1.54	213.	--
0035	1.10	218.	20.	**2021**	1.88	225.	--	**2585**	2.06	231.	--	**3113**	1.13	199.	--
0036	1.78	241.	20.	**2039**	2.99	264.	--	**2586**	1.34	206.	--	**3114**	1.54	213.	--
0042	2.29	259.	20.	**2041**	1.54	213.	--	**2587**	1.49	231.	20.	**3118**	0.97	193.	--
0046	1.79	242.	20.	**2070**	2.37	242.	--	**2623**	2.47	245.	--	**3119**	0.59	180.	--
0050	3.23	322.	50.	**2081**	2.34	241.	--	**2651**	0.85	189.	--	**3120**	0.79	187.	--
0059D	0.17	.	.	**2089**	1.72	219.	--	**2660**	1.11	198.	--	**3122**	1.34	206.	--
0065D	0.08	.	.	**2095**	2.17	235.	--	**2683**	1.26	203.	--	**3127**	1.29	204.	--
0066D	0.06	.	.	**2101**	1.72	219.	--	**2688**	1.28	204.	--	**3131**	0.95	192.	--
0067D	0.06	.	.	**2105**	(a)	(a)	(a)	**2702**	12.17	500.	20.	**3132**	1.35	206.	--
0079	1.65	237.	20.	**2111**	1.42	209.	--	**2710**	4.67	322.	--	**3145**	0.88	190.	--
0083	2.23	257.	20.	**2114**	1.72	219.	--	**2731**	2.13	234.	--	**3146**	1.59	215.	--
0106	5.41	459.	20.	**2115**	3.71	289.	--	**2747**	3.51	282.	--	**3169**	1.59	215.	--
0113	1.78	241.	20.	**2121**	0.79	187.	--	**2790**	1.32	205.	--	**3179**	0.80	187.	--
0170	1.78	241.	20.	**2130**	1.01	194.	--	**2802**	2.28	239.	--	**3180**	1.57	214.	--
0771b	0.27	.	.	**2131**	2.34	241.	--	**2835**	1.31	205.	--	**3188**	1.26	203.	--
0908	68.00	132.	--	**2143**	1.47	210.	--	**2836**	1.58	214.	--	**3200**	1.58	214.	--
0909	184.00	248.	--	**2150**	2.58	249.	--	**2841**	1.95	227.	--	**3220**	1.33	206.	--
0912	369.00	433.	--	**2156**	2.02	230.	--	**2883**	1.88	225.	--	**3223**	(a)	(a)	(a)
0913	137.00	201.	--	**2157**	2.97	263.	--	**2923**	0.79	187.	--	**3255**	1.17	200.	--
0917	1.62	236.	20.	**2172**	1.27	203.	--	**2942**	1.00	194.	--	**3257**	1.75	220.	--
0918	0.28	189.	20.	**2211**	3.79	292.	--	**3018**	1.55	213.	--	**3270**	1.08	197.	--
1430	2.20	236.	--	**2220**	2.30	240.	--	**3022**	2.28	239.	--	**3300**	2.35	241.	--
1438	2.24	237.	--	**2260**	3.26	273.	--	**3027**	1.59	215.	--	**3305**	(a)	(a)	(a)
1463	6.84	489.	--	**2288**	2.50	247.	--	**3028**	2.27	238.	--	**3315**	1.97	228.	--
1624D	2.78	276.	20.	**2305**	1.54	213.	--	**3030**	3.46	280.	--	**3336**	1.59	215.	--
1655	2.00	249.	20.	**2362**	1.61	215.	--	**3040**	3.91	296.	--	**3365**	2.93	312.	50.
1701	2.19	236.	--	**2380**	1.24	202.	--	**3041**	1.70	219.	--	**3372**	1.42	209.	--
1710D	2.78	276.	20.	**2402**	1.39	208.	--	**3042**	1.77	221.	--	**3373**	2.50	247.	--
1747	1.68	218.	--	**2413**	1.63	216.	--	**3066**	1.56	214.	--	**3381**	1.07	196.	--
1748	2.16	235.	--	**2416**	2.22	237.	--	**3076**	1.89	225.	--	**3383**	0.86	189.	--
1853	1.01	194.	--	**2417**	0.91	191.	--	**3081D**	2.56	249.	--	**3385**	0.59	180.	--

b Non-Ratable Code and Rate to be used with class code 4771.

RATES

CLASS CODE	RATE	MIN PREM	LOSS CONST	CLASS CODE	RATE	MIN PREM	LOSS CONST	CLASS CODE	RATE	MIN PREM	LOSS CONST	CLASS CODE	RATE	MIN PREM	LOSS CONST
3400	1.59	215.	--	**4150**	0.42	174.	--	**4771c**	1.78	231.	--	**5507**	2.96	313.	50.
3507	1.96	228.	--	**4239**	2.13	234.	--	**4777**	2.19	236.	--	**5508D**	3.36	327.	50.
3515	1.46	210.	--	**4243**	1.54	213.	--	**4825**	0.30	170.	--	**5509**	3.93	347.	50.
3558	0.45	175.	--	**4244**	2.11	233.	--	**4828**	0.75	185.	--	**5538**	2.75	305.	50.
3571	0.38	172.	--	**4250**	1.72	219.	--	**4829**	0.75	185.	--	**5545**	31.21	500.	50.
3574	1.06	196.	--	**4251**	2.09	232.	--	**4902**	1.00	194.	--	**5547**	6.56	500.	50.
3612	1.03	195.	--	**4273**	1.71	219.	--	**4923**	0.49	176.	--	**5606**	0.80	237.	50.
3620	1.90	226.	--	**4279**	1.59	215.	--	**5020**	3.58	334.	50.	**5610**	4.26	358.	50.
3629	1.06	196.	--	**4283**	1.53	213.	--	**5022**	5.56	495.	50.	**5645**	4.60	461.	50.
3632	1.06	196.	--	**4299**	1.11	198.	--	**5037**	7.72	500.	50.	**5701**	8.33	500.	50.
3634	1.14	199.	--	**4304**	4.38	312.	--	**5040**	14.88	500.	50.	**5703**	4.66	463.	50.
3635	1.10	198.	--	**4307**	0.82	188.	--	**5057**	9.58	500.	50.	**5705**	7.38	500.	50.
3638	1.06	196.	--	**4308**	1.41	208.	--	**5059**	14.95	500.	50.	**6003**	3.74	340.	50.
3642	0.89	190.	--	**4351**	0.60	180.	--	**5102**	4.56	460.	50.	**6005**	3.36	327.	50.
3643	1.35	206.	--	**4352**	0.59	180.	--	**5146**	4.28	359.	50.	**6204**	4.20	356.	50.
3647	1.41	208.	--	**4360**	0.49	176.	--	**5160**	2.60	300.	50.	**6217**	2.98	313.	50.
3648	0.65	182.	--	**4361**	0.41	193.	20.	**5183**	2.22	287.	50.	**6229**	2.98	313.	50.
3681	0.37	172.	--	**4362**	0.30	190.	20.	**5188**	2.48	296.	50.	**6233**	1.24	252.	50.
3685	0.37	172.	--	**4410**	1.60	215.	--	**5190**	1.47	260.	50.	**6251D**	2.48	296.	50.
3724	2.83	308.	50.	**4432**	0.65	182.	--	**5191**	0.47	195.	20.	**6252D**	2.97	313.	50.
3726	2.44	294.	50.	**4439**	3.52	282.	--	**5192**	2.20	256.	20.	**6306**	5.56	495.	50.
3807	1.59	215.	--	**4452**	2.07	231.	--	**5213**	6.11	500.	50.	**6319**	1.73	270.	50.
3808	1.95	227.	--	**4459**	1.63	216.	--	**5215**	3.79	342.	50.	**6325**	1.89	275.	50.
3821	2.95	282.	20.	**4470**	1.23	202.	--	**5221**	4.62	462.	50.	**6400**	2.88	310.	50.
3826	2.47	245.	--	**4484**	1.57	214.	--	**5222**	5.69	499.	50.	**6504**	1.72	219.	--
3830	1.06	196.	--	**4493**	1.38	207.	--	**5223**	2.45	295.	50.	**6702M**	(a)	.	--
3841	1.32	205.	--	**4511**	0.18	185.	20.	**5348**	2.83	308.	50.	**6703M**	(a)	.	--
4000	3.90	316.	20.	**4512**	0.05	181.	20.	**5402**	4.03	350.	50.	**6704M**	(a)	.	--
4021	2.02	230.	--	**4557**	1.34	206.	--	**5403**	4.81	468.	50.	**6801F**	3.98	298.	--
4024	2.11	233.	--	**4558**	1.48	211.	--	**5437**	2.50	297.	50.	**6811**	3.43	299.	20.
4034	5.15	339.	--	**4583**	2.19	236.	--	**5443**	1.95	277.	50.	**6824F**	5.04	335.	--
4036	1.31	205.	--	**4611**	0.46	175.	--	**5445**	3.94	347.	50.	**6826F**	3.19	271.	--
4038	1.42	209.	--	**4635**	2.99	264.	--	**5462**	4.53	459.	50.	**6834**	1.56	234.	20.
4053	2.19	236.	--	**4653**	1.52	212.	--	**5472**	5.14	480.	50.	**6836**	1.97	248.	20.
4062	1.45	210.	--	**4665**	7.69	500.	--	**5473**	8.06	500.	50.	**6843F**	9.67	500.	--
4112	0.19	166.	--	**4692**	0.33	171.	--	**5474**	3.21	321.	50.	**6854**	8.34	500.	20.
4113	2.19	236.	--	**4693**	0.50	177.	--	**5478**	2.95	312.	50.	**6872F**	8.96	500.	--
4114	2.31	240.	--	**4720**	1.43	209.	--	**5479**	3.65	337.	50.	**6874F**	11.82	500.	--
4130	3.14	269.	--	**4740**	0.50	177.	--	**5480**	3.37	327.	50.	**6882**	7.72	500.	20.
4133	1.35	206.	--	**4741**	2.25	238.	--	**5506**	3.26	323.	50.	**6884**	10.19	500.	20.

c For Non-Ratable portion of Rate, refer to class code 0771.

RATES

CLASS CODE	RATE	MIN PREM	LOSS CONST	CLASS CODE	RATE	MIN PREM	LOSS CONST	CLASS CODE	RATE	MIN PREM	LOSS CONST	CLASS CODE	RATE	MIN PREM	LOSS CONST
7016M	1.88	.	--	**7502**	1.34	226.	20.	**8232**	3.10	288.	20.	**8829**	1.77	241.	20.
7024M	2.35	.	--	**7515**	1.58	234.	20.	**8233**	4.02	320.	20.	**8831**	0.59	200.	20.
7038M	3.55	.	--	**7520**	1.93	247.	20.	**8235**	2.76	276.	20.	**8832**	0.19	186.	20.
7046M	5.06	.	--	**7538**	2.29	289.	50.	**8263**	2.92	281.	20.	**8833**	0.76	206.	20.
7047M	2.95	.	--	**7539**	0.89	210.	20.	**8264**	2.91	281.	20.	**8835**	1.19	221.	20.
7050M	5.57	.	--	**7580**	1.82	243.	20.	**8265**	4.02	320.	20.	**8837**	(a)	(a)	(a)
7090M	4.44	.	--	**7590**	3.67	307.	20.	**8279**	2.87	279.	20.	**8868**	0.56	199.	20.
7098M	5.95	.	--	**7600**	2.91	281.	20.	**8291**	2.82	278.	20.	**8901**	0.04	180.	20.
7099M	7.46	.	--	**7601**	2.63	301.	50.	**8292**	2.52	267.	20.	**9014**	1.54	233.	20.
7133	(a)	(a)	(a)	**7610**	0.32	190.	20.	**8293**	4.40	333.	20.	**9015**	1.88	245.	20.
7151M	8.26	.	--	**7704**	2.81	277.	20.	**8350**	4.86	349.	20.	**9016**	1.11	218.	20.
7152M	12.95	.	--	**7720**	1.11	218.	20.	**8380**	1.72	239.	20.	**9019**	2.13	254.	20.
7153M	10.33	.	--	**7855**	3.10	318.	50.	**8381**	0.70	204.	20.	**9033**	1.84	243.	20.
7219	4.93	352.	20.	**8001**	1.20	221.	20.	**8385**	2.48	266.	20.	**9040**	1.90	246.	20.
7230	6.49	497.	20.	**8002**	1.20	221.	20.	**8392**	1.09	217.	20.	**9044**	1.01	214.	20.
7231	7.78	500.	20.	**8006**	0.79	207.	20.	**8393**	0.95	212.	20.	**9052**	1.09	217.	20.
7309F	8.91	500.	--	**8008**	0.47	195.	20.	**8500**	4.02	320.	20.	**9058**	1.07	216.	20.
7313F	12.27	500.	--	**8010**	0.94	212.	20.	**8601**	0.12	183.	20.	**9060**	0.64	201.	20.
7317F	10.22	500.	--	**8013**	0.19	186.	20.	**8709F**	3.42	279.	--	**9061**	0.63	201.	20.
7327F	15.08	500.	--	**8017**	0.63	201.	20.	**8710**	1.39	228.	20.	**9062**	0.55	198.	20.
7333M	7.53	.	--	**8018**	2.51	267.	20.	**8719**	1.39	228.	20.	**9063**	0.37	192.	20.
7335M	8.85	.	--	**8021**	2.21	256.	20.	**8720**	0.54	198.	20.	**9077F**	5.24	342.	--
7337M	11.10	.	--	**8031**	1.15	219.	20.	**8721**	0.11	183.	20.	**9079**	0.62	201.	20.
7350F	12.35	500.	--	**8032**	0.83	208.	20.	**8726F**	3.22	272.	--	**9089**	0.43	194.	20.
7360	2.89	280.	20.	**8033**	1.11	218.	20.	**8734M**	0.44	.	--	**9093**	0.61	200.	20.
7370	2.97	283.	20.	**8034**	2.27	258.	20.	**8737M**	0.35	.	--	**9101**	2.48	266.	20.
7380	4.96	353.	20.	**8039**	1.27	223.	20.	**8738M**	0.55	.	--	**9102**	1.89	245.	20.
7382	2.54	268.	20.	**8044**	1.84	243.	20.	**8742**	0.07	181.	20.	**9154**	1.37	227.	20.
7394M	9.68	.	--	**8046**	1.58	234.	20.	**8745**	3.28	294.	20.	**9156**	1.35	226.	20.
7395M	12.37	.	--	**8048**	1.61	235.	20.	**8747**	0.50	197.	20.	**9178**	6.96	500.	20.
7398M	15.51	.	--	**8058**	1.59	235.	20.	**8748**	0.33	191.	20.	**9179**	29.03	500.	20.
7403	2.34	261.	20.	**8103**	1.77	241.	20.	**8800**	0.72	204.	20.	**9180**	2.66	272.	20.
7405d	0.77	215.	20.	**8105**	7.48	500.	20.	**8803**	0.03	180.	20.	**9182**	1.69	238.	20.
7420	8.61	500.	20.	**8106**	2.66	272.	20.	**8805M**	0.18	.	--	**9186**	2.66	272.	20.
7421	0.64	201.	20.	**8107**	1.50	232.	20.	**8810**	0.04	180.	20.	**9220**	2.32	260.	20.
7422	0.64	201.	20.	**8111**	1.75	240.	20.	**8814M**	0.14	.	--	**9402**	2.79	277.	20.
7425	2.02	250.	20.	**8203**	3.20	291.	20.	**8815M**	0.23	.	--	**9403**	8.31	500.	20.
7431e	0.48	201.	20.	**8204**	2.57	269.	20.	**8820**	0.04	180.	20.	**9410**	2.11	253.	20.
7445f	0.25	.	.	**8215**	2.11	253.	20.	**8824**	1.53	233.	20.	**9501**	1.32	205.	--
7453g	0.16	.	.	**8227**	3.67	337.	50.	**8826**	1.14	219.	20.	**9505**	1.32	205.	--

For Non-Ratable portion of Rate, refer to:

d 7445 e 7453

Non-Ratable Code and Rate to be used with:

f 7405 g 7431

RATES

CLASS CODE	RATE	MIN PREM	LOSS CONST	CLASS CODE	RATE	MIN PREM	LOSS CONST	CLASS CODE	RATE	MIN PREM	LOSS CONST	CLASS CODE	RATE	MIN PREM	LOSS CONST
9519	1.78	241.	20.												
9521	2.44	244.	--												
9522	1.29	204.	--												
9533	13.20	500.	50.												
9534	3.80	342.	50.												
9549	2.48	296.	50.												
9552	3.34	326.	50.												
9586	0.21	186.	20.												
9620	0.62	201.	20.												